ATTACHMENT A Amendments to the Claims

Following herewith is a complete listing of the claims, including a marked copy of the currently amended claims.

- (Currently Amended) A method of preparing a trace element solution,

 which comprises said method consisting essentially of the steps of:
- (a) preparing a single solution comprising more than one EDTA-complex as a sodium salt in a single continuous process by using one-selected from the group consisting of suspending either disodium EDTA-and in water or suspending EDTA acid in water with sodium hydroxide, and adding a metal compound to the EDTA solution to form the EDTA-complex; and
- (b) previding a adding sodium selenite to the solution of EDTA-complexes to form the trace element solution.; and
 - (c) combining the EDTA complexes and the sodium selenite solution.

Claim 2 (Previously Cancelled)

Claims 3-4 (Cancelled)

- 1 -

- 5. (Currently Amended) A method as claimed in claim 1, in which the EDTAcomplexes are prepared by using at least one metal compound is selected from the
 group consisting of metal oxides, metal hydroxides and metal carbonates.
- 6. (Currently Amended) A method as claimed in claim 1, in which the EDTA-complexes comprise at least one of the metal-compounds cation components selected from the group consisting of copper, manganese, zinc, molybdenum and chromium.
- 7. (Original) A trace element solution as prepared by a method as claimed in claim 1.

Claim 8 (Cancelled)

- 9. (Currently Amended) A trace element solution as claimed in claim-8_7, which is an injectable solution.
- 10. (Currently Amended) A trace element solution as claimed in claim-8_7, which is a drenchable solution.

- 11. (Currently Amended) A stock lick, which comprises a trace element solution as prepared by a method as claimed in claim 1.
 - (a) more than one EDTA complex as a sodium salt prepared in a single continuous process by using disodium EDTA or EDTA acid with sodium hydroxide; and
 - (b) solonium solonito.
- 12. (Previously Amended) A method of providing trace elements to animals, such as livestock, which comprises the steps of preparing a trace element solution as claimed in claim 1, and of providing the solution in a suitable quantity to an animal.
- 13. (New) A method as claimed in claim 1, in which the molar ratio of selenium in the form of sodium selenite to the metal compounds to the EDTA complexes varies between 1:4.8:4.8 and 1:19:19.